

# Preventive Care through Campaigns

	<b>PRE</b>	<b>POST</b>
Overall Patients Reached vs Scheduled	<b>Not Measured</b>	<b>38%</b>
Unfulfilled Colonoscopies Scheduled	<b>4%</b>	<b>30%</b>
Unfulfilled Mammograms Schedules	<b>Not Measured</b>	<b>51%</b>
Patient Outreach Vaccine Texts	<b>n/a</b>	<b>137+K</b>
Virtual Visits automated resolutions	<b>0 (zero)</b>	<b>139</b>



# Shortage leads to worsened outcomes in ICUs

Errors are more likely to occur when NSI is combined with staff shortage, inadequate supervision and high unit activity.

The effects of nursing staff inexperience (NSI) on the occurrence of adverse patient experiences in ICUs

[Aust Crit Care. 2001 Aug;14\(3\):116-21.](#)

Low-intensity ICU physician staffing leads to higher mortality

**Physician Staffing Patterns and Clinical Outcomes in Critically Ill Patients**  
A Systematic Review

**Conclusions** High-intensity vs low-intensity ICU physician staffing is associated with reduced hospital and ICU mortality and hospital and ICU LOS.

[JAMA. 2002;288:2151-2162](#)

[www.jama.com](http://www.jama.com)

# Nursing home with Microsoft HoloLens 2 to help clinically vulnerable people

By **TheHealthReporter** - January 24, 2022



# Recap

Strategies	Supporting Technology
EHR Documentation	Ambient Clinical Intelligence
EHR In-Box Automation	AI/ML (Text Analytics, Language Translation)
	Triage (FHIR)
	Automated Comms
Off-load preventive care	AI/ML (Imaging)
	CRM (enabled with FHIR)
Next Generation Virtual Care (address clinician shortage)	Mixed Reality

Thank you!